

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "((network planning and time and demand)<in>metadata)"

Your search matched **40** of **1625854** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.
☒ e-mail
 ☒ printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#)
[Deselect All](#)
1-25 | [26-40](#)

- ☐
1. Portable real-time protocols to make real-time communications affordable
 Barned, R.M.; Richards, R.J.;
[MILCOM 2002. Proceedings](#)
 Volume 2, 7-10 Oct. 2002 Page(s):1183 - 1188 vol.2
[AbstractPlus](#) | Full Text: [PDF\(776 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐
2. Frequency and time slot assignment algorithms for FDMA/TDMA non-GEO MSS with multiple gateway Earth stations
 Konishi, S.; Nomoto, S.; Mizuike, T.;
[Communications, 1999. ICC '99. 1999 IEEE International Conference on](#)
 Volume 2, 6-10 June 1999 Page(s):775 - 780 vol.2
 Digital Object Identifier 10.1109/ICC.1999.765379
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐
3. Daily Load Forecasting and Maximum Demand Estimation using ARIMA and GARCH
 Hor, C.-L.; Watson, S.J.; Majithia, S.;
[Probabilistic Methods Applied to Power Systems, 2006. PMAPS 2006. International Conference on](#)
 11-15 June 2006 Page(s):1 - 6
 Digital Object Identifier 10.1109/PMAPS.2006.360237.
[AbstractPlus](#) | Full Text: [PDF\(1673 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐
4. Fault tolerant real-time connection admission control for mission critical applications over ATM-based networks
 Devalla, B.; Bettati, R.; Zhao, W.;
[Real-Time Computing Systems and Applications, 1999. RTCSA '99. Sixth International Conference on](#)
 13-15 Dec. 1999 Page(s):340 - 347
 Digital Object Identifier 10.1109/RTCSA.1999.811275
[AbstractPlus](#) | Full Text: [PDF\(660 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐
5. Managing capacity for telecommunications networks under uncertainty
 d'Halluin, Y.; Forsyth, P.A.; Vetzal, K.R.;
[Networking, IEEE/ACM Transactions on](#)
 Volume 10, Issue 4, Aug. 2002 Page(s):579 - 588
 Digital Object Identifier 10.1109/TNET.2002.801416
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(340 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **6. Benefits of p-cycles in a mixed protection and restoration approach**
Blouin, F.J.; Sack, A.; Grover, W.D.;
[Design of Reliable Communication Networks, 2003. \(DRCN 2003\). Proceedings. Fourth International Workshop on](#)
19-22 Oct. 2003 Page(s):203 - 210
Digital Object Identifier 10.1109/DRCN.2003.1275358
[AbstractPlus](#) | Full Text: [PDF\(1258 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **7. Routing and protection in GMPLS networks: from shortest paths to optimized designs**
Elwalid, A.; Mitra, D.; Saniee, I.; Widjaja, I.;
[Lightwave Technology, Journal of](#)
Volume 21, Issue 11, Nov. 2003 Page(s):2828 - 2838
Digital Object Identifier 10.1109/JLT.2003.819528
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(484 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **8. A simple polynomial time framework for reduced-path decomposition in multipath routing**
Mirrokni, V.S.; Thottan, M.; Uzunalioglu, H.; Paul, S.;
[INFOCOM 2004. Twenty-third Annual Joint Conference of the IEEE Computer and Communications Societies](#)
Volume 1, 7-11 March 2004 Page(s):
Digital Object Identifier 10.1109/INFOCOM.2004.1354544
[AbstractPlus](#) | Full Text: [PDF\(854 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **9. A Viterbi-like algorithm with adaptive clustering for channel assignment in cellular radio networks**
Fernando, X.N.; Fapojuwo, A.O.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 51, Issue 1, Jan. 2002 Page(s):73 - 87
Digital Object Identifier 10.1109/25.992069
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(491 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **10. Functional Architecture of End-to-End Reconfigurable Systems**
Moessner, K.; Luo, J.; Mohyeldin, E.; Grandblaise, D.; Kloeck, C.; Martoyo, I.; Sallent, O.;
Demestichas, P.; Dimitrakopoulos, G.; Tsagkaris, K.; Olaziregi, N.;
[Vehicular Technology Conference, 2006. VTC 2006-Spring. IEEE 63rd](#)
Volume 1, 2006 Page(s):196 - 200
Digital Object Identifier 10.1109/VETECS.2006.1682803
[AbstractPlus](#) | Full Text: [PDF\(3648 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **11. Potentiality and effects of the 1 kV low voltage distribution system**
Lohjala, J.; Kaipia, T.; Lassila, J.; Partanen, J.; Jarventausta, P.; Verho, P.;
[Future Power Systems, 2005 International Conference on](#)
16-18 Nov. 2005 Page(s):1 - 6
[AbstractPlus](#) | Full Text: [PDF\(776 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **12. Interworking of planning and operation for reliable and cost-effective transport networks**
Brinzarescu, O.; Schnitter, S.;
[Design of Reliable Communication Networks, 2005. \(DRCN 2005\). Proceedings. 5th International Workshop on](#)
16-19 Oct. 2005 Page(s):5 pp.
Digital Object Identifier 10.1109/DRCN.2005.1563885
[AbstractPlus](#) | Full Text: [PDF\(2342 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **13. Improvement of QoS using heuristic approach for satellite link expansion**

- Krile, S.;
[Information Technology Interfaces, 2002. ITI 2002. Proceedings of the 24th International Conference on](#)
24-27 June 2002 Page(s):493 - 498 vol.1
Digital Object Identifier 10.1109/ITI.2002.1024721
[AbstractPlus](#) | Full Text: [PDF\(653 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **14. Demand modeling and growth planning for TDMA-based wireless networks**
Garcia, C.L.; Ernam, H.; Egner, W.; Subramanian, S.;
[Wireless Communications and Networking Conference, 1999. WCNC. 1999 IEEE](#)
21-24 Sept. 1999 Page(s):433 - 436 vol.1
Digital Object Identifier 10.1109/WCNC.1999.797862
[AbstractPlus](#) | Full Text: [PDF\(720 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **15. An approach for dynamic optical transport network planning and analysis**
Maier, G.; Di Giglio, A.; Ferraris, G.; Quagliotti, M.; De Patre, S.; Savastano, L.;
[Design of Reliable Communication Networks, 2005. \(DRCN 2005\). Proceedings.5th](#)
[International Workshop on](#)
16-19 Oct. 2005 Page(s):8 pp.
Digital Object Identifier 10.1109/DRCN.2005.1563839
[AbstractPlus](#) | Full Text: [PDF\(5410 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **16. Resource planning and bandwidth allocation in hybrid fiber-coax residential networks**
Griffith, D.; Sriram, K.; Krivulina, L.; Golmie, N.;
[Broadband Networks, 2004. BroadNets 2004. Proceedings. First International Conference on](#)
2004 Page(s):263 - 268
Digital Object Identifier 10.1109/BROADNETS.2004.73
[AbstractPlus](#) | Full Text: [PDF\(184 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **17. Multi-service radio dimensioning for UMTS packet-switched services**
Adiego, D.; Cordier, C.;
[Personal, Indoor and Mobile Radio Communications, 2002. The 13th IEEE International](#)
[Symposium on](#)
Volume 5, 15-18 Sept. 2002 Page(s):2409 - 2413 vol.5
[AbstractPlus](#) | Full Text: [PDF\(449 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **18. A heuristic approach to satellite link capacity planning applied in mobile networks**
Krile, S.; Kos, M.;
[Information Technology Interfaces, 2001. ITI 2001. Proceedings of the 23rd International](#)
[Conference on](#)
19-22 June 2001 Page(s):331 - 338 vol.1
Digital Object Identifier 10.1109/ITI.2001.938038
[AbstractPlus](#) | Full Text: [PDF\(556 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **19. A practical approach to operating survivable WDM networks**
Sridharan, M.; Salapaka, M.V.; Somani, A.K.;
[Selected Areas in Communications, IEEE Journal on](#)
Volume 20, Issue 1, Jan. 2002 Page(s):34 - 46
Digital Object Identifier 10.1109/49.974660
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(190 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **20. Heuristic solutions for satellite link expansion**
Krile, S.; Kos, M.;
[Electrotechnical Conference, 2002. MELECON 2002. 11th Mediterranean](#)
7-9 May 2002 Page(s):443 - 447
Digital Object Identifier 10.1109/MELECON.2002.1014629

[AbstractPlus](#) | Full Text: [PDF\(561 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **21. The efficient algorithm for optimal capacity expansion of satellite links in mobile networks**
Krile, S.;
[EUROCON'2001, Trends in Communications, International Conference on](#),
Volume 2, 4-7 July 2001 Page(s):345 - 348 vol.2
Digital Object Identifier 10.1109/EURCON.2001.938131
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ **22. Modernisation of a regional energy distribution network**
Trebst, R.; Wohlfarth, H.;
[Electricity Distribution, 1993. CIRED., 12th International Conference on](#)
17-21 May 1993 Page(s):6.6/1 - 6.6/5 vol.6
[AbstractPlus](#) | Full Text: [PDF\(244 KB\)](#) IET CNF
- ☐ **23. A decomposition algorithm for capacity expansion of local access networks**
Shulman, A.; Vachani, R.;
[Communications, IEEE Transactions on](#)
Volume 41, Issue 7, July 1993 Page(s):1063 - 1073
Digital Object Identifier 10.1109/26.231937
[AbstractPlus](#) | Full Text: [PDF\(1020 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **24. Cell planning with capacity expansion in mobile communications: a tabu search approach**
Lee, C.Y.; Kang, H.G.;
[Vehicular Technology, IEEE Transactions on](#)
Volume 49, Issue 5, Sept. 2000 Page(s):1678 - 1691
Digital Object Identifier 10.1109/25.892573
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(408 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ **25. From personal area networks to ubiquitous computing: preparing for a paradigm shift in the workplace**
Patten, K.; Passerini, K.;
[Wireless Telecommunications Symposium, 2005](#)
April 28-30, 2005 Page(s):225 - 233
Digital Object Identifier 10.1109/WTSS.2005.1524791
[AbstractPlus](#) | Full Text: [PDF\(489 KB\)](#) IEEE CNF
[Rights and Permissions](#)

1-25 | [26-40](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide

sonet planning and time and demand

SEARCH

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)Terms used: sonet planning tool and time and demand

Found 104,330 of 207,474

Sort results
by

relevance

Display
results

expanded form

☒ Save results to a Binder☒ Search Tips☐ Open results in a new
windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Network planning with a performance-prediction tool](#)

Stephen D. Post

May 1999 **International Journal of Network Management**, Volume 9 Issue 3**Publisher:** John Wiley & Sons, Inc.Full text available: [pdf\(172.80 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

A new type of tool facilitates network engineering by combining the speed and practicality of mathematical analysis with a graphic user interface that is customized for network modeling. Copyright © 1999 John Wiley & Sons, Ltd.

2 [Distributed partial-express routing of broad-band transport network demands](#)

M. H. MacGregor, Wayne D. Grover

December 1997 **IEEE/ACM Transactions on Networking (TON)**, Volume 5 Issue 6**Publisher:** IEEE PressFull text available: [pdf\(139.55 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: communication system routing, multiplexing, optical communication terminals, optimization methods

3 [High availability path design in ring-based optimal networks](#)

Wayne D. Grover

August 1999 **IEEE/ACM Transactions on Networking (TON)**, Volume 7 Issue 4**Publisher:** IEEE PressFull text available: [pdf\(308.91 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)**4** [Global optimization of SDH networks: a practical application](#)

Dirk Beckmann, Jörn Thürow

January 2003 **International Journal of Network Management**, Volume 13 Issue 1**Publisher:** John Wiley & Sons, Inc.Full text available: [pdf\(129.56 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We describe in this paper how the backbone network of a major German telecommunication company has been globally optimized using the so-called branch-and-bound algorithm. The described optimization approach enables significant reductions of expenses for leased lines compared to manually derived planning results. This gain achieved by the presented optimization approach is also demonstrated by the comparison with a heuristic algorithm which is used for the simulation of a human network planning

P ...

5 A quantitative measure for telecommunications networks topology design

Nicholas F. Maxemchuk, Iradj Ouveysi, Moshe Zukerman

August 2005 **IEEE/ACM Transactions on Networking (TON)**, Volume 13 Issue 4

Publisher: IEEE Press

Full text available:  pdf(588.34 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

This paper proposes a new measure for network performance evaluation called topology lifetime. The measure provides insight into which one of a set of topologies is likely to last the longest before more capacity must be installed. The lifetime measure is not single valued, but considers growth as a function of a set of demand shifts (perturbation). One network may be better able to support a uniform growth in the traffic, while another may support more growth when unexpected shifts in the load ...

Keywords: dense wavelength division multiplexing (DWDM), linear programming, network topology, telecommunications

6 Passive measurements: Pop-level and access-link-level traffic dynamics in a tier-1

 POP

Supratik Bhattacharyya, Christophe Diot, Jorjeta Jetcheva

November 2001 **Proceedings of the 1st ACM SIGCOMM Workshop on Internet Measurement IMW '01**


Publisher: ACM Press

Full text available:  pdf(3.31 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


In this paper, we study traffic demands in an IP backbone, identify the routes used by these demands, and evaluate traffic granularity levels that are attractive for improving the poor load balancing that our study reveals. The data used in this study was collected at a major POP in a commercial Tier-1 IP backbone. In the first part of this paper we ask two questions. What is the traffic demand between a pair of POPs in the backbone? How stable is this demand? We develop a methodology that combi ...

7 National high performance computer technology act: SIGGRAPH and national high-tech public policy issues

 D. J. Cox


August 1989 **ACM SIGGRAPH Computer Graphics**, Volume 23 Issue 4

Publisher: ACM Press

Full text available:  pdf(2.32 MB)

Additional Information: [full citation](#), [index terms](#)

8 Reception and posters: Capacity planning tool for streaming media services

 Ludmila Cherkasova, Wenting Tang

November 2003 **Proceedings of the eleventh ACM international conference on Multimedia MULTIMEDIA '03**

Publisher: ACM Press

Full text available:  pdf(439.56 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

The goal of the proposed capacity planning tool is to provide the best cost/performance configuration for support of a known media service workload. There are two essential components in our capacity planning tool: *i*) the capacity measurements of different h/w and s/w solutions using a specially designed set of media benchmarks and *ii*) a media service workload profiler, called *MediaProf*, which extracts a set of quantitative and qualitative parameters characterizing the servi ...

Keywords: SLAs, capacity planning, measurements, media server benchmarks, media server capacity, workload profiling

9 Draft report of the Federal Internetworking Requirements Panel, and selected responses

Diane Fountaine

April 1994 **ACM SIGCOMM Computer Communication Review**, Volume 24 Issue 2


Publisher: ACM Press

Full text available:  pdf(4.15 MB) Additional Information: [full citation](#), [index terms](#)

10 Two case studies of open source software development: Apache and Mozilla

July 2002 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 11 Issue 3

Publisher: ACM Press

Full text available:  pdf(373.10 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

According to its proponents, open source style software development has the capacity to compete successfully, and perhaps in many cases displace, traditional commercial development methods. In order to begin investigating such claims, we examine data from two major open source projects, the Apache web server and the Mozilla browser. By using email archives of source code change history and problem reports we quantify aspects of developer participation, core team size, code ownership, productivity ...

Keywords: Apache, Mozilla, Open source software, code ownership, defect density, repair interval

11 Distributing a chemical process optimization application over a gigabit network

Robert L. Clay, Peter A. Steenkiste

December 1995 **Proceedings of the 1995 ACM/IEEE conference on Supercomputing (CDROM) - Volume 00 Supercomputing '95**

Publisher: ACM Press

Full text available:  pdf(418.23 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
 html(2.65 KB)

We evaluate the impact of a gigabit network on the implementation of a distributed chemical process optimization application. The optimization problem is formulated as a stochastic Linear Assignment Problem and was solved using the Thinking Machines CM-2 (SIMD) and the Cray C-90 (vector) computers at PSC, and the Intel iWarp (MIMD) system at CMU, connected by the Gigabit Nectar testbed. We report our experience distributing the application across this heterogeneous set of systems and present mea ...

Keywords: chemical process optimization, distributed computing, heterogeneous computing, gigabit networks, stochastic linear assignment problem, optimal resource allocation

12 ATM: retrospective on systems legacy: A retrospective view of ATM

Charles Kalmanek

November 2002 **ACM SIGCOMM Computer Communication Review**, Volume 32 Issue 5

Publisher: ACM Press

Full text available:  pdf(222.98 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

ATM was the focus of active research and significant investment in the early to mid 1990's. This paper discusses several visions for ATM prevalent at the time, and analyzes how ATM evolved during this period. The paper also considers the implications of this history for current connection-oriented technologies, such as optical transport networks and MPLS.

Keywords: ATM, MPLS, flow switching, transport networks

13 Standards: when is it too much of a good thing?



Robert J. Aiken, John S. Cavallini
June 1994 **StandardView**, Volume 2 Issue 2

Publisher: ACM Press

Full text available: pdf(1.42 MB) Additional Information: [full citation](#), [references](#), [index terms](#)

14 GraphicsNet '95: integrated voice, video, graphics and data network using asynchronous transfer made (ATM)



Marke Clinger
February 1996 **ACM SIGGRAPH Computer Graphics**, Volume 30 Issue 1

Publisher: ACM Press

Full text available: pdf(1.15 MB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Every year demonstrations at the SIGGRAPH conference push the envelope in state-of-the-art graphics. In 1995, SIGGRAPH also pushed the envelope in networking by deploying a conference-wide, production ATM network. GraphicsNet, the conference network, consisted of 400 Ethernet-over-ATM connections and 100 directly attached ATM devices. GraphicsNet was one of the largest ATM backbone networks deployed to date. Using the latest hardware and software available, GraphicsNet provided a switched intern ...

15 Restoration strategies and spare capacity requirements in self-healing ATM networks

Yijun Xiong, Lorne G. Mason
February 1999 **IEEE/ACM Transactions on Networking (TON)**, Volume 7 Issue 1

Publisher: IEEE Press

Full text available: pdf(402.74 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: ATM, heuristics, linear programming, network design, network reliability/survivability, self-healing

16 Extending performance approaches to new application domains: Real-time UML-based performance engineering to aid manager's decisions in multi-project planning



A. Bertolino, E. Marchetti, R. Mirandola
July 2002 **Proceedings of the 3rd international workshop on Software and performance WOSP '02**

Publisher: ACM Press

Full text available: pdf(133.82 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We investigate the usage of software performance engineering to aid the project manager in making sound, reliable predictions in software development, and in optimizing the utilization of resources (typically the people). We assimilate the project teams to the processing elements of a performance model, and their activities to the tasks to be accomplished within established time intervals. The proposed methodology uses as the manager's interface a subset of Real-Time UML, the recently adopted OM ...

Keywords: product release, project management, real-time UML, software performance engineering

17 Web system-oriented performance: Capacity planning tools for web and grid environments



Sugato Bagchi, Eugene Hung, Arun Iyengar, Norbert Vogl, Noshir Wadia
October 2006 **Proceedings of the 1st international conference on Performance evaluation methodologies and tools valuetools '06**

Publisher: ACM Press

Full text available: pdf(453.91 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A key aspect in managing resources for customer sites is to predict and assess the load associated with a site in order to figure out how best to allocate resources for the site over time and to efficiently schedule tasks. The cost associated with the site and return on investment are also key parameters. This paper describes work we have done in developing tools for answering these critical questions. The tools use both analytical models and discrete event simulations to predict performance and ...

Keywords: capacity planning, grid computing, performance modeling, web performance

18 Optimal capacity placement for path restoration in STM or ATM mesh-survivable networks

Rainer R. Iraschko, M. H. MacGregor, Wayne D. Grover

June 1998 **IEEE/ACM Transactions on Networking (TON)**, Volume 6 Issue 3

Publisher: IEEE Press

Full text available: pdf(263.51 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: capacity placement, mesh restoration, survivable networks

19 Annotated bibliography on network management



Simon Znaty, Jean Scavos

January 1994 **ACM SIGCOMM Computer Communication Review**, Volume 24 Issue 1

Publisher: ACM Press

Full text available: pdf(1.64 MB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

This annotated bibliography covers the various aspects of network management. It contains a list of papers being ordered according to the four network management models, namely, functional, architectural, informational and relational.

20 The cluster compiler—a tool for the design of time-triggered real-time systems



Hermann Kopetz, Roman Nossal

November 1995 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1995 workshop on Languages, compilers, & tools for real-time systems LCTES '95**, Volume 30 Issue 11

Publisher: ACM Press

Full text available: pdf(869.29 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

An off-line planning tool that supports the programmer in developing his real-time application is mandatory in the design of time-triggered real-time systems. This paper describes the architecture and the functions of such a tool, the Cluster Compiler, that is in development at our institute. We emphasize on the principle of a strict separation of the local from the global parts of a distributed system and on the consequences for the structure of the design tool arising from this principle.

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

sonet planning tool and time and demand

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar All articles - **Recent articles**
Results 1 - 10 of about 2,380 for **sonet planning tool**. (0.14 seconds)**All Results**[W Grover](#)[S Cosares](#)[R Ballart](#)[I Saniee](#)[Y Ching](#)**An optimization problem related to balancing loads on SONET rings**

S Cosares, I Saniee - Telecommunication Systems, 1994 - Springer

... 1] and [12] provide informative discussions about the **SONET** standard.) Among the many challenging problems in network **planning** that **SONET** gives rise to, the ...[Cited by 81](#) - [Related Articles](#) - [Web Search](#)**[BOOK] Mesh-Based Survivable Networks:: Options and Strategies for Optical, MPLS, SONET, and ATM Networking - all 4 versions »**

WD Grover - 2003 - books.google.com

... 32 Generic **SONET** Add/Drop Multiplexer 33 ... 40 Multi-Protocol Label Switching (MPLS) 43 Network **Planning** Aspects of Transport Networks 45 ...[Cited by 95](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)**Survivable SONET networks-design methodology - all 4 versions »**OJ Wasem, TH Wu, RH Cardwell - Selected Areas in Communications, IEEE Journal on, 1994 - [ieeexplore.ieee.org](#)... a methodology for the strategic **planning** of survivable ... The software system determines strategic locations and ring ... 1 diverse protection and **SONET** self-healing ...[Cited by 25](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Transport network architectures in an IP world - all 9 versions »**RD Doverspike, SJ Phillips, JR Westbrook - INFOCOM 2000. Nineteenth Annual Joint Conference of the IEEE ..., 2000 - [ieeexplore.ieee.org](#)... engineering **tools** are not yet in place, standard failure recovery speed is greatly inferior to that offered by **SONET** rings, voice-over-IP is still in the ...[Cited by 21](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**Optimal Load Balancing on Sonet Bidirectional Rings - all 3 versions »**

YS Myung, HG Kim, DW Tcha - Operations Research, 1997 - JSTOR

... however, is only a subproblem within the comprehensive **planning tool**, which has ... be overvalued when designing a real-world large-scale **SONET** broadband network. ...[Cited by 39](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)**[CITATION] Design and planning of transport networks based on SDH/SONET and WDM optical networks: methods, ...**

C Blaizot, I Cerutti, A Fumagalli, M Tacca, L ... - Optical Networks Magazine, 2000

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)**Planning and deploying a SONET-based metro network**M To, J McEachern, BN Res, O Ottawa - LTS, IEEE [see also IEEE LCS], 1991 - [ieeexplore.ieee.org](#)... **planning tools** that will assist with the transition to the target network. This **tool** would identify asynchronous systems nearing exhaust, propose **SONET** ...[Cited by 2](#) - [Related Articles](#) - [Web Search](#)**SONET implementation - all 2 versions »**YC Ching, HS Say - Communications Magazine, IEEE, 1993 - [ieeexplore.ieee.org](#)... **SONET** merely serves as a **tool** to facilitate this network ... issued an operations systems support plan for SON ... **SONET** Deployment Why should anyone deploy **SONET**? ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Case study of the evolution of routing algorithms in a network **planning tool** - all 10 versions

»

J Akkanen, JK Nurminen - The Journal of Systems & Software, 2001 - Elsevier

... Our experience is that a **planning tool** supporting the user in ... Nokia NPS/10 is a transmission network **planning** system that ... of a set of simple **tools**, or commands ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#)Integrity of public telecommunications networks - all 2 versions »TH Wu, JC McDonald, TP Flanagan, KI Sato - Selected Areas in Communications, IEEE Journal on, 1994 - ieeexplore.ieee.org... intend to identify useful theory and **tools**, and discuss ... and, in particular, the viability of **SONET** DCS's ... thus, may be used as a network growth **planning tool**. ...[Cited by 6](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	SONET same site same plan\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:54
L2	6	SONET near6 planning same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 10:59
L3	2	"5974127".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:01
L4	4	(demand same time same network and topology and site).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:32
L5	33	"703".clas. and network same demand same time same cost	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:37
L6	26	L5 and @ad<"20040217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:34
L7	240	"709".clas. and (network same demand same time same cost) and (plac\$5 same equipment same site or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:46
L8	90	L7 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:47
L9	44	L8 and ((SONET or network) near6 (planning or design))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:47

EAST Search History

L10	349	"370".clas. and (network same demand same time same cost) and (plac\$5 same equipment same site or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:47
L11	140	L10 and @ad<"19991222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:47
L12	49	L11 and ((SONET or network) near6 (planning or design))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:47
S1	2	"6763326".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/03 10:40